Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 133
5 September to 5 October 1979

ACADEMIC PRESS
London New York San Francisco

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 133

NUMBER 1, 5 SEPTEMBER 1979

VALENTIN-HANSEN, P., HAMMER-JESPERSEN, K. and BUXTON, R. S., Evidence for the Existence of Three Promoters for the *deo* Operon of *Escherichia coli* K12 *in Vitro* 1

FIDDES, J. C. and GODSON, G. N., Evolution of the Three Overlapping Gene Systems in G4 and ϕX174 19

JELINSKI, L. W. and TORCHIA, D. A., $^{13}C/^{1}H$ High Power Double Magnetic Resonance Investigation of Collagen Backbone Motion in Fibrils and in Solution 45

NEMETSCHEK, TH., RIEDL, H. and JONAK, R., Topochemistry of the Binding of Phosphotungstic Acid to Collagen 67

RIESNER, D., HENCO, K., ROKOHL, U., KLOTZ, G., KLEINSCHMIDT, A. K., DOMDEY, H., JANK, P., GROSS, H. J. and SÄNGER, H. L., Structure and Structure Formation of Viroids 85

YVNSURA, D. G., GOEDDEL, D. V., KUNDU, A. and CARUTHERS, M. H., Studies on Gene Control Regions IX: The Effect of Hypoxanthine-substituted *lac* Operators on the *lac* Operator–*lac* Repressor Interaction . . . 117

BEHE, M. J. and ENGLANDER, S. W., Mixed Gelation Theory: Kinetics, Equilibrium and Gel Incorporation in Sickle Hemoglobin Mixtures . . 137

Appendices: 1 (a) Calculation of g values from incorporation data . . 156

2 (a) Prediction of equilibrium solubility in HbS mixtures . 158

EICHELE, G., FORD, G. C., GLOR, M., JANSONIUS, J. N., MAVRIDES, C. and CHRISTEN, P., The Three-dimensional Structure of Mitochondrial Aspartate Aminotransferase at 4·5 Å Resolution 161

LETTERS TO THE EDITOR

QUIOCHO, F. A., MEADOR, W. E. and PFLUGRATH, J. W., Preliminary Crystallographic Data of Receptors for Transport and Chemotaxis in *Escherichia coli:* D-Galactose and Maltose-binding Proteins . . 181

TAKANO, T., DICKERSON, R. E., SCHICHMAN, S. A. and MEYER, T. E., Crystal Data, Molecular Dimensions and Molecular Symmetry in Cytochrome Oxidase from *Pseudomonas aeruginosa* . . . 185

GUARENTE, L. P., BECKWITH, J., WU, A. M. and PLATT, T., A Mutation Distal to the Messenger RNA Endpoint Reduces Transcription Termination in the Tryptophan Operon in *Escherichia coli* . . 189

NUMBER 2, 15 SEPTEMBER 1979

JOHNSON, K. A. and BORISY, G. G., Thermodynamic Analysis of Microtubule Self-assembly *in Vitro* 199

BARKER, D. G. and BRUTON, C. J., The Fate of Norleucine as a Replacement for Methionine in Protein Synthesis 217

IMAI, K., Thermodynamic Aspects of the Co-operativity in Four-step Oxygenation Equilibria of Haemoglobin 233

WARD, D. F. and MURRAY, N. E., Convergent Transcription in Bacteriophage λ: Interference with Gene Expression 249

LETTERS TO THE EDITOR

LIFSCHYTZ, E. A Procedure for the Cloning and Identification of Y-specific Middle Repetitive Sequences in *Drosophila hydei* 267

KANEHISA, M. I. and TSONG, T. Y., Slow Equilibration of a Denatured Protein: Comparison of the Cluster Model with the Proline Isomerization Model 279

SCHMID, F. X. and BALDWIN, R. L., The Rate of Interconversion Between the Two Unfolded Forms of Ribonuclease A Does Not Depend on Guanidinium Chloride Concentration 285

KLEIN, B. and MURRAY, K., Phage Lambda Receptor Chromosomes for DNA Fragments made with Restriction Endonuclease I of *Bacillus amyloliquefaciens H* 289

NUMBER 3, 25 SEPTEMBER 1979

FIGURSKI, D. H., MEYER, R. J. and HELINSKI, D. R., Suppression of ColE1 Replication Properties by the Inc P-1 Plasmid RK2 in Hybrid Plasmids Constructed *in Vitro* 295

NILSEN, T. and BAGLIONI, C., Unusual Base-pairing of Newly Synthesized DNA in HeLa Cells 319

LJUNGQUIST, E. and BUKHARI, A. I., Behaviour of Bacteriophage Mu DNA upon Infection of *Escherichia coli* Cells 339

GOFF, S. P. and BERG, P., Construction, Propagation and Expression of Simian Virus 40 Recombinant Genomes Containing the *Escherichia coli* Gene for Thymidine Kinase and a *Saccharomyces cerevisae* Gene for Tyrosine Transfer RNA 359

CHIEN, J. C. W., Electron Paramagnetic Resonance Crystallography of Spin-labeled Hemoglobin–Protein Fine Structures 385

ROSA, J. J. and RICHARDS, F. M., An Experimental Procedure for Increasing the Structural Resolution of Chemical Hydrogen-exchange Measurements on Proteins: Application to Ribonuclease S Peptide 399

MALNOË, P., ROCHAIX, J.-D., CHUA, N. H. and SPAHR, P.-F., Characterization of the Gene and Messenger RNA of the Large Subunit of Ribulose 1,5-Diphosphate Carboxylase in *Chlamydomonas reinhardii* 417

NUMBER 4, 5 OCTOBER 1979

SUNSHINE, H. R., HOFRICHTER, J. and EATON, W. A., Gelation of Sickle Cell Hemoglobin in Mixtures with Normal Adult and Fetal Hemoglobins . 435

Appendix: The Derivation of a Kinetic Expression for the Delay Time of Hemoglobin Mixtures. 463

FRANKS, N. P. and LIEB, W. R., The Structure of Lipid Bilayers and the Effects of General Anaesthetics. An X-ray and Neutron Diffraction Study 469

SHATSKY, I. N., MOCHALOVA, L. V., KOJOUHAROVA, M. S., BOGDANOV, A. A. and VASILIEV, V. D., Localization of the 3′ End of *Escherichia coli* 16 S RNA by Electron Microscopy of Antibody-labelled Subunits 501

MOODY, M. F., VACHETTE, P. and FOOTE, A. M., Changes in the X-ray Solution Scattering of Aspartate Transcarbamylase Following the Allosteric Transition 517

YAGURA, T., YAGURA, M. and MURAMATSU, M., *Drosophila melanogaster* has Different Ribosomal RNA Sequences on X and Y Chromosomes . . 533

LETTERS TO THE EDITOR

TRINICK, J. and OFFER, G., Cross-linking of Actin Filaments by Heavy Meromyosin 549

MCLACHLAN, A. D., Three-fold Structural Pattern in the Soybean Trypsin Inhibitor (Kunitz) 557

ANNOUNCEMENT 565

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1979_133_contents

Index to Volume 133

Actin filaments, cross-linking by heavy meromyosin, 549
Allosteric transition and consequent changes in the X-ray solution scattering of aspartate transcarbamylase, 517
Anaesthesia, general, and the structure of lipid bilayers; an X-ray and neutron diffraction study. 469
Antibody-labelled subunits, localization of the 3′ end of *Escherichia coli* 16 S RNA by electron microscopy, 501
Aspartate aminotransferase, mitochondrial, three-dimensional structure at 4·5 Å resolution, 161
Aspartate transcarbamylase, changes in the X-ray solution scattering following the allosteric transition, 517
Assembly (see also Self-assembly), 199

Bacillus amyloliquefaciens H, phage lambda receptor chromosomes for DNA fragments made with restriction endonuclease I, 289
Bacteriophage G4 and ϕX174, evolution of the three overlapping gene systems, 19
— λ convergent transcription, interference with gene expression, 749
— — receptor chromosome for DNA fragments made with restriction endonuclease I of *Bacillus amyloliquefaciens H*, 289
— Mu DNA behavior upon infection of *Escherichia coli* cells, 339
Baglioni, C. (see also Nilsen, T.), 319
Baldwin, R. L. (see also Schmid, F. X.), 285
Barker, D. G. & Bruton, C. J., The fate of norleucine as a replacement for methionine in protein synthesis, 217
Base-pairing, unusual, of newly synthesized DNA in HeLa cells, 319
Beckwith, J. (see also Guarente, L. P.), 189
Behe, M. J. & Englander, S. W., Mixed gelation theory: kinetics, equilibrium and gel incorporation in sickle hemoglobin mixtures, 137
Berg, P. (see also Goff, S. P.), 359
Bilayer structure of lipids and the effects of general anaesthetics; an X-ray and neutron diffraction study, 469
Binding of phosphotungstic acid to collagen: topochemistry, 67
Bogdanov, A. A. (see also Shatsky, I. N.), 501
Borisy, G. G. (see also Johnson, K. A.), 199
Bruton, C. J. (see also Barker, D. G.), 217
Bukhari, A. I. (see also Ljungquist, E.), 339
Buxton, R. S. (see also Valentin-Hansen, P.), 1

$^{13}C/^{1}H$ high power double magnetic resonance investigation of collagen backbone motion in fibrils and in solution, 45
Caruthers, M. H. (see also Yansura, D. G.), 117
Chemotaxis and transport receptors in *Escherichia coli*, preliminary crystallographic data: D-galactose and maltose-binding proteins, 181
Chien, J. C. W., Electron paramagnetic resonance crystallography of spin-labeled hemoglobin–protein fine structures, 385
Chlamydomonas reinhardii, characterization of the gene and messenger RNA of the large subunit of ribulose 1,5-diphosphate carboxylase, 417
Christen, P. (see also Eichele, G.), 161
Chromosomes, phage lambda receptor, for DNA fragments made with restriction endonuclease I of *Bacillus amyloliquefaciens H*, 289
—, X and Y, have different ribosomal RNA sequences in *Drosophila melanogaster*, 533
Chua, N. H. (see also Malnoë, P.), 417
Cloning and identification procedure for Y-specific middle repetitive sequences in *Drosophila hydei*, 267
Cluster model of the slow equilibration of a denatured protein: comparison with the proline isomerization model, 279
ColE1 replication properties, suppression by the Inc P-1 plasmid RK2 in hybrid plasmids constructed *in vitro*, 295

Collagen backbone motion in fibrils and in solution, a $^{13}C/^{1}H$ high power double magnetic resonance investigation, 45
—, topochemistry of the binding of phosphotungstic acid, 67
Convergent transcription in bacteriophage λ: interference with gene expression, 249
Co-operativity in four-step oxygenation equilibria of haemoglobin, thermodynamic aspects, 233
Cross-linking of actin filaments by heavy meromyosin, 549
Crystal data, molecular dimensions and molecular symmetry in cytochrome oxidase from *Pseudomonas aeruginosa*, 185
Crystallographic data, preliminary, of receptors for transport and chemotaxis in *Escherichia coli:* D-galactose and maltose-binding proteins, 181
—, electron paramagnetic resonance, of spin-labeled hemoglobin–protein fine structures, 385
Cytochrome oxidase from *Pseudomonas aeruginosa:* crystal data, molecular dimensions and molecular symmetry, 185

Delay time of hemoglobin mixtures, the derivation of a kinetic expression, 463
deo operon of *Escherichia coli* K12, evidence for the existence of three promoters *in vitro*, 1
DNA fragments made with restriction endonuclease I of *Bacillus amyloliquefaciens H:* phage lambda receptor chromosomes, 289
—, Mu, behavior upon infection of *Escherichia coli* cells, 339
—, newly synthesized in HeLa cells: unusual base-pairing, 319
D-galactose and maltose-binding proteins: preliminary crystallographic data of receptors for transport and chemotaxis in *Escherichia coli*, 181
Dickerson, R. E. (see also Takano, T.), 185
Domdey, H. (see also Riesner, D.), 85
Drosophila hydei, a procedure for the cloning and identification of Y-specific middle repetitive sequences, 267
— *melanogaster* has different ribosomal RNA sequences on X and Y chromosomes, 533

Eaton, W. A. (see also Sunshine, H. R.), 435
Eichele, G., Ford, G. C., Glor, M., Jansonius, J. N., Mavrides, C. & Christen, P., The three-dimensional structure of mitochondrial aspartate aminotransferase at 4·5 Å resolution, 161
Electron microscopy of antibody-labelled subunits localizes the 3′ end of *Escherichia coli* 16 S RNA, 501
— paramagnetic resonance crystallography of spin-labeled hemoglobin–protein fine structures, 385
Englander, S. W. (see also Behe, M. J.), 137
Equilibration, slow, of a denatured protein: comparison of the cluster model with the proline isomerization model, 279
Equilibrium solubility prediction in HbS mixtures, 158
Escherichia coli cells, the behavior of bacteriophage Mu DNA upon their infection, 339
— — gene for thymidine kinase and *Saccharomyces cerevisae* gene for tyrosine transfer RNA are contained in SV40 recombinant genomes; construction, propagation and expression, 359
— — K12, evidence for the existence of three promoters for the *deo* operon *in vitro*, 1
— —, a mutation distal to the messenger RNA endpoint reduces transcription termination in the tryptophan operon, 189
— —, preliminary crystallographic data of receptors for transport and chemotaxis: D-galactose and maltose-binding proteins, 181
— — 16 S RNA, localization of the 3′ end by electron microscopy of antibody-labelled subunits, 501
Evolution of the three overlapping gene systems in G4 and φX174, 19

Fiddes, J. C. & Godson, G. N., Evolution of the three overlapping gene systems in G4 and φX174, 19
Figurski, D. H., Meyer, R. J. & Helinski, D. R., Suppression of ColE1 replication properties by the Inc P-1 plasmid RK2 in hybrid plasmids constructed *in vitro*, 295
Filaments, actin, cross-linking by heavy meromyosin, 549
Foote, A. M. (see also Moody, M. F.), 517
Ford, G. C. (see also Eichele, G.), 161
Franks, N. P. & Lieb, W. R., The structure of lipid bilayers and the effects of general anaesthetics. An X-ray and neutron diffraction study, 469

G4 (see also Bacteriophage), 19
Gelation of sickle cell hemoglobin in mixtures with normal adult and fetal hemoglobins, 435
— theory: kinetics, equilibrium and gel incorporation in sickle hemoglobin mixtures, 137

Gene and mRNA characterizations for the large subunit of ribulose 1,5-diphosphate carboxylase in *Chlamydomonas reinhardii*, 417
— control regions: the effect of hypoxanthine-substituted *lac* operators on the *lac* operator–*lac* repressor interaction, 117
— expression interference in bacteriophage λ convergent transcription, 249
— systems, overlapping, evolution in G4 and φX174, 19
Genomes, recombinant, SV40, containing the *Escherichia coli* gene for thymidine kinase and a *Saccharomyces cerevisae* gene for tyrosine transfer RNA; construction, propagation and expression, 359
Glor, M. (see also Eichele, G.), 161
Godson, G. N. (see also Fiddes, J. C.), 19
Goeddel, D. V. (see also Yansura, D. G.), 117
Goff, S. P. & Berg, P., Construction, propagation and expression of simian virus 40 recombinant genomes containing the *Escherichia coli* gene for thymidine kinase and a *Saccharomyces cerevisae* gene for tyrosine transfer RNA, 359
Gross, H. K. (see also Riesner, D.), 85
Guanidinium chloride concentration does not affect the rate of interconversion between the two unfolded forms of ribonuclease A, 285
Guarente, L. P., Beckwith, J., Wu, A. M. & Platt, T., A mutation distal to the messenger RNA endpoint reduces transcription termination in the tryptophan operon in *Escherichia coli*, 189

Hammer-Jespersen, K. (see also Valentin-Hansen, P.), 1
HeLa cells, unusual base-pairing of newly synthesized DNA, 319
Helinski, D. R. (see also Figurski, D. H.), 295
Hemoglobin mixtures, derivation of a kinetic expression for the delay time, 463
—, sickle cell, gelation in mixtures with normal adult and fetal hemoglobins, 435
—, — —, mixtures: kinetics, equilibrium and gel incorporation; mixed gelation theory, 137
—, thermodynamic aspects of the co-operativity in four-step oxygenation equilibria, 233
— -protein, spin-labeled, fine structure by electron paramagnetic resonance crystallography, 385
Henco, K. (see also Riesner, D.), 85
Hofrichter, J. (see also Sunshine, H. R.), 435
Hybrid plasmids constructed *in vitro*, suppression of ColE1 replication properties by the Inc P-1 plasmid RK2, 295
Hydrogen-exchange measurements on proteins, an experimental procedure for increasing the structural resolution; application to ribonuclease S peptide, 399
Hypoxanthine-substituted *lac* operators, effect on the *lac* operator–lac repressor interaction; studies on gene control regions, 117

Imai, K., Thermodynamic aspects of the co-operativity in four-step oxygenation equilibria of haemoglobin, 233

Inc P-1 plasmid RK2 suppression of ColE1 replication properties in hybrid plasmids constructed *in vitro*, 295
Interconversion rate between the two unfolded forms of ribonuclease A does not depend on guanidinium chloride concentration, 285

Jank, P. (see also Riesner, D.), 85
Jansonius, J. N. (see also Eichele, G.), 161
Jelinski, L. W. & Torchia, D. A., $^{13}C/^{1}H$ high power double magnetic resonance investigation of collagen backbone motion in fibrils and in solution, 45
Johnson, K. A. & Borisy, G. G., Thermodynamic analysis of microtubule self-assembly *in vitro*, 199
Jonak, R. (see also Nemetschek, Th.), 67

Kanehisa, M. I. & Tsong, T. Y., Slow equilibrium of a denatured protein: comparison of the cluster model with the proline isomerization model, 279
Klein, B. & Murray, K., Phage lambda receptor chromosomes for DNA fragments made with restriction endonuclease I of *Bacillus amyloliquefaciens H*, 289
Kleinschmidt, A. K. (see also Riesner, D.), 85
Klotz, G. (see also Riesner, D.), 85
Kojouharova, M. S. (see also Shatsky, I. N.), 501
Kunda, A. (see also Yansura, D. G.), 117

λ (see also Bacteriophage), 249, 289
lac operators, hypoxanthine-substituted, effect on the *lac* operator–*lac* repressor interaction; studies on gene control regions, 117
Lieb, W. R. (see also Franks, N. P.), 469
Lifschytz, E., A procedure for the cloning and identification of Y-specific middle repetitive sequences in *Drosophila hydei*, 267
Lipid bilayer structure and the effects of general anaesthetics; an X-ray and neutron diffraction study, 469
Ljungquist, E. & Bukhari, A. I., Behaviour of bacteriophage Mu DNA upon infection of *Escherichia coli* cells, 339
Localization of the 3′ end of *Escherichia coli* 16 S RNA by electron microscopy of antibody-labelled subunits, 501

McLachlan, A. D., Three-fold structural pattern in the soybean trypsin inhibitor (Kunitz), 557
Malnoë, P., Rochaix, J.-D., Chua, N. H. & Spahr, P.-F., Characterization of the gene and messenger RNA of the large subunit of ribulose 1,5-diphosphate carboxylase in *Chlamydomonas reinhardii*, 417
Maltose and D-galactose-binding proteins: preliminary crystallographic data of receptors for transport and chemotaxis in *Escherichia coli*, 181
Mavrides, C. (see also Eichele, G.), 161
Meador, W. E. (see also Quiocho, F. A.), 181
Meromyosin, heavy, and cross-linking of actin filaments, 549
Messenger RNA and gene characterizations for the large subunit of ribulose 1,5-diphosphate carboxylase in *Chlamydomonas reinhardii*, 417
— —, a mutation distal to the endpoint reduces transcription termination in the tryptophan operon in *Escherichia coli*, 189
Methionine in protein synthesis, the fate of norleucine as a replacement, 217
Meyer, R. J. (see also Figurski, D. H.), 295
Meyer, T. E. (see also Takano, T.), 185
Microtubule self-assembly *in vitro*, thermodynamic analysis, 199
Mitochondrial aspartate aminotransferase, three-dimensional structure at 4·5 Å resolution, 161
Mochalova, L. V. (see also Shatsky, I. N.), 501
Moody, M. F., Vachette, P. & Foote, A. M., Changes in the X-ray solution scattering of aspartate transcarbamylase following the allosteric transition, 517
Mu (see also Bacteriophage), 339
Muramatsu, M. (see also Yagura, T.), 533
Murray, K. (see also Klein, B.), 289
Murray, N. E. (see also Ward, D. F.), 249
Mutation distal to the messenger RNA endpoint reduces transcription termination in the tryptophan operon in *Escherichia coli*, 189

Nemetschek, Th., Riedl, H. & Jonak, R., Topochemistry of the binding of phosphotungstic acid to collagen, 67
Neutron diffraction and X-ray study of the structure of lipid bilayers and the effects of general anaesthetics, 469
Nilsen, T. & Baglioni, C., Unusual base-pairing of newly synthesized DNA in HeLa cells, 319
Norleucine, fate of, as a replacement for methionine in protein synthesis, 217

Offer, G. (see also Trinick, J.), 549
Oxygenation equilibria of haemoglobin, thermodynamic aspects of co-operativity, 233

ϕX174 (see also Bacteriophage), 19

Pflugrath, J. W. (see also Quiocho, F. A.), 181
Phosphotungstic acid, topochemistry of binding to collagen, 67
Plasmid RK2 suppression of ColE1 replication properties in hybrid plasmids constructed *in vitro*, 295.
Platt, T. (see also Guarente, L. P.), 189
Proline isomerization model compared with the cluster model for the slow equilibration of a denatured protein, 279
Promoters, three, for the *deo* operon of *Escherichia coli* K12 *in vitro*, evidence for their existence, 1
Protein, denatured, slow equilibration: comparison of the cluster model with the proline isomerization model, 279

— synthesis, the fate of norleucine as a replacement for methionine, 217
— –hemoglobin, spin-labeled, fine structures by electron paramagnetic resonance crystallography, 385
Proteins, D-galactose and maltose-binding: preliminary crystallographic data of receptors for transport and chemotaxis in *Escherichia coli*, 181
—, an experimental procedure for increasing the structural resolution of chemical hydrogen-exchange measurements; application to ribonuclease S peptide, 399
Pseudomonas aeruginosa: crystal data, molecular dimensions and molecular symmetry in cytochrome oxidase, 185

Quiocho, F. A., Meador, W. E. & Pflugrath, J. W., Preliminary crystallographic data of receptors for transport and chemotaxis in *Escherichia coli:* D-galactose and maltose-binding proteins, 181

Receptor chromosomes, phage lambda, for DNA fragments made with restriction endonuclease I of *Bacillus amyloliquefaciens H*, 289
Receptors for transport and chemotaxis in *Escherichia coli*, preliminary crystallographic data: D-galactose and maltose-binding proteins, 181
Replication properties of ColE1, suppression by the Inc P-1 plasmid RK2 in hybrid plasmids constructed *in vitro*, 295
Restriction endonuclease I of *Bacillus amyloliquefaciens H*, phage lambda receptor chromosomes for DNA fragments, 289
Ribonuclease A, the rate of interconversion between the two unfolded forms does not depend on guanidinium chloride concentration, 285
— S peptide: an experimental procedure for increasing the structural resolution of chemical hydrogen-exchange measurements on proteins, 399
Ribosomal RNA sequences on *Drosophila melanogaster* X and Y chromosomes are different, 533
RNA, messenger, and gene characterizations for the large subunit of ribulose 1,5-diphosphate carboxylase in *Chlamydomonas reinhardii*, 417
—, —, a mutation distal to the endpoint reduces transcription termination in the tryptophan operon in *Escherichia coli*, 189
—, ribosomal, sequences on *Drosophila melanogaster* X and Y chromosomes are different, 533
— 16 S of *Escherichia coli*, localization of the 3′ end by electron microscopy of antibody-labelled subunits, 501
Ribulose 1,5-diphosphate carboxylase of *Chlamydomonas reinhardii*, characterization of the gene and messenger RNA of the large subunit, 417
Richards, F. M. (see also Rosa, J. J.), 399
Riedl, H. (see also Nemetschek, Th.), 67
Riesner, D., Henco, K., Rokohl, U., Klotz, G., Kleinschmidt, A. K., Domdey, H., Jank, P., Gross, H. J. & Sänger, H. L., Structure and structure formation of viroids, 85
RK2 plasmid suppression of ColE1 replication properties in hybrid plasmids constructed *in vitro*, 295
Rochaix, J.-D. (see also Malnoë, P.), 417
Rokohl, U. (see also Riesner, D.), 85
Rosa, J. J. & Richards, F. M., An experimental procedure for increasing the structural resolution of chemical hydrogen-exchange measurements on proteins: application to ribonuclease S peptide, 399

Saccharomyces cerevisae gene for tyrosine transfer RNA and the *Escherichia coli* gene for thymidine kinase are contained in SV40 recombinant genomes; construction, propagation and expression, 359
Sänger, H. L. (see also Riesner, D.), 85
Schichman, S. A. (see also Takano, T.), 185
Schmid, F. X. & Baldwin, R. L., The rate of interconversion between the two unfolded forms of ribonuclease A does not depend on guanidinium chloride concentration, 285
Self-assembly of microtubules *in vitro*, thermodynamic analysis, 199
Sequences, middle repetitive, Y-specific, in *Drosophila hydei*, a procedure for cloning and identification, 267
— of ribosomal RNA sequences on X and Y chromosomes are different in *Drosophila melanogaster*, 533
Shatsky, I. N., Mochalova, L. V., Kojouharova, M. S., Bogdanov, A. A. & Vasiliev, V. D., Localization of the 3′ end of *Escherichia coli* 16 S RNA by electron microscopy of antibody-labelled subunits, 501

Sickle cell hemoglobin mixtures, gelation with normal adult and fetal hemoglobins, 435
— — — mixtures, kinetics, equilibrium and gel incorporation; mixed gelation theory, 137
Simian virus 40 recombinant genomes containing the *Escherichia coli* gene for thymidine kinase and a *Saccharomyces cerevisae* gene for tyrosine transfer RNA: construction, propagation and expression, 359
Soybean trypsin inhibitor (Kunitz), three-fold structural pattern, 557
Spahr, P.-F. (see also Malnoë, P.), 417
Spin-labeled hemoglobin–protein fine structures by electron paramagnetic resonance crystallography, 385
Structural pattern, three-fold, in the soybean trypsin inhibitor (Kunitz), 557
— resolution of chemical hydrogen-exchange measurements on proteins, an experimental procedure for its increase; application to ribonuclease S peptide, 399
Structure and structure formation of viroids, 85
— of lipid bilayers and the effects of general anaesthetics; an X-ray and neutron diffraction study, 469
—, three-dimensional, of mitochondrial aspartate aminotransferase at 4·5 Å resolution, 161
Structures, fine: electron paramagnetic resonance crystallography of spin-labeled hemoglobin–protein, 385
Sunshine, H. R., Hofrichter, J. & Eaton, W. A., Gelation of sickle cell hemoglobin in mixtures with normal adult and fetal hemoglobins, 435
Suppression of ColE1 replication properties by the Inc P-1 plasmid RK2 in hybrid plasmids constructed *in vitro*, 295
Synthesis of protein, the fate of norleucine as a replacement for methionine, 217

Takano, T., Dickerson, R. E., Schichman, S. A. & Meyer, T. E., Crystal data, molecular dimensions and molecular symmetry in cytochrome oxidase from *Pseudomonas aeruginosa*, 185
Thermodynamic analysis of microtubule self-assembly *in vitro*, 199
— aspects of the co-operativity in four-step oxygenation equilibria of haemoglobin, 233
Thymidine kinase *Escherichia coli* gene and tyrosine transfer RNA *Saccharomyces cerevisae* gene are contained in SV40 recombinant genomes; construction, propagation and expression, 359
Topochemistry of the binding of phosphotungstic acid to collagen, 67
Torchia, D. A. (see also Jelinski, L. W.), 45
Transcription, convergent, in bacteriophage λ: interference with gene expression, 249
— termination in the tryptophan operon in *Escherichia coli* is reduced by a mutation distal to the messenger RNA endpoint, 189
Transport and chemotaxis receptors in *Escherichia coli*, preliminary crystallographic data: D-galactose and maltose-binding proteins, 181
Trinick, J. & Offer, G., Cross-linking of actin filaments by heavy meromyosin, 549
Trypsin inhibitor, soybean, (Kunitz): three-fold structural pattern, 557
Tryptophan operon in *Escherichia coli*, a mutation distal to the messenger RNA endpoint reduces transcription termination, 189
Tsong, T. Y. (see also Kanehisa, M. I.), 279
Tyrosine transfer RNA *Saccharomyces cerevisae* gene and the *Escherichia coli* gene for thymidine kinase are contained in SV40 recombinant genomes; construction, propagation and expression, 359

Vachette, P. (see also Moody, M. F.), 517
Valentin-Hansen, P., Hammer-Jespersen, K. & Buxton, R. S., Evidence for the existence of three promoters for the *deo* operon of *Escherichia coli* K12 *in vitro*, 1
Vasiliev, V. D. (see also Shatsky, I. N.), 501
Viroids, structure and structure formation, 85
Virus, SV40 recombinant genomes containing the *Escherichia coli* gene for thymidine kinase and a *Saccharomyces cerevisae* gene for tyrosine transfer RNA: construction, propagation and expression, 359

Ward, D. F. & Murray, N. E., Convergent transcription in bacteriophage λ: interference with gene expression, 249
Wu, A. M. (see also Guarente, L. P.), 189

X-ray and neutron diffraction study of the structure of lipid bilayers and the effects of general anaesthetics, 469
X-ray solution scattering of aspartate transcarbamylase, changes following the allosteric transition, 517

YAGURA, M. (see also YAGURA, T.), 533
YAGURA, T., YAGURA, M. & MURAMATSU, M., *Drosophila melanogaster* has different ribosomal RNA sequences on X and Y chromosomes, 533
YANSURA, D. G., GOEDDEL, D. V., KUNDU, A. & CARUTHERS, M. H., Studies on gene control regions. IX. The effect of hypoxanthine-substituted *lac* operators on the *lac* operator–*lac* repressor interaction, 117
Y-specific middle repetitive sequences in *Drosophila hydei*, a procedure for cloning and identification, 267